



	3200 Temple School Rd, Winston Salem, NC 27107 336 970 6400	<b>ECO 78951</b>										
NAME: <b>L0829EU7-01</b> DESC: <b>HSK 50ml Line Minimizing Serum</b> DIE: <b>LPM01187</b> 03.24.20 DIE LINE: <input checked="" type="checkbox"/> AGILE <input type="checkbox"/> SERVER <input type="checkbox"/> NONE <b>W: 3.583 in H: 4.409 in</b> PROGRAM: <b>InDesign CC 2018</b>	<b>COLORS:</b> <table border="0"> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>High Gloss Laminate</td> <td>Foil Stamp</td> <td>Pantone Cool Gray 3</td> <td>PMS 425 C</td> <td>PMS 430 C</td> </tr> </table>						High Gloss Laminate	Foil Stamp	Pantone Cool Gray 3	PMS 425 C	PMS 430 C	<b>PROOF: FA1</b> OPERATOR: <b>Jasmine</b> DATE: <b>03.24.20</b>
High Gloss Laminate	Foil Stamp	Pantone Cool Gray 3	PMS 425 C	PMS 430 C								
Printer : <b>MPS</b>	Smallest Type Size: <b>5/5.5</b> Side panel tracking: <b>0</b> Side panel scaling <b>95%</b>	Agamik 4.44: <b>N/A</b>										